Technical Data Sheet

Doc No – Ab/TDS/PCR-102

Rev No: 05 Date 02/2022-23

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

PCR Tubes, PP

Valid for Cat. No. P10701, P10702

1. Description/Specification

1.1 Description:

- 1.1.1 PCR Tubes, PP, DNase, RNase, Human DNA, ATP & Pyrogen Free, IVD & ISO 18385 Certified
- 1.1.2 PCR tubes are made of high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber and heavy metal.
 - 1.1.3 Thin and uniform wall thickness to ensure optimal heat transfer reducing insulating effect.
 - 1.1.4 Attached snap cap with lid. Caps available are in domed & flat shape. Snap cap ensures tight fit eliminating risk of sample evaporation. Flat caps are optically clear for real time qPCR.

1.1 Design:

- 1.1.3 Tube: Cylindrical upper and conical bottom
- 1.1.4 Tube cap: Attached Snap Cap with lid
- 1.1.5 Caps are optically clear for real time qPCR

1.3 Performance Specification:

Abdos Labtech Private Limited

Code	Capacity (ml)	Туре	Height (mm)	No. per Case
P10701	0.2	Clear Flat Cap	21.50	1000
P10702	0.2	Domed Cap	23.16	1000

1.4 Material:

- 1.4.1 Polypropylene (PP), Hydrophobic, confirm US FDA 21CFR
- 1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.
- 1.4.3 The product has passed the USP testing including class VI tests ,Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.



Technical Data Sheet

- 1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE ,2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water
- 1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color:

Translucent (Natural)

1.6 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release

1.7 Other information

- 1.7.1 DNase, RNase, DNA, Endotoxin and PCR inhibitor.
- 1.7.2 Recommended for Single use only
- 1.7.3 Have a longer length and even cap insertion that ensures tight fit eliminating the risk of sample evaporation.
- 1.8 Basic Features
- **1.8.1 Temperature range:** -80 °C to + 121 °C
- **1.8.2 Autoclavability:** Yes, Autoclavable at 15 psi and 121 ^oC for 20 minutes
- 1.8.3 Manufactured in Aseptic Environment
- **1.8.4 Chemical resistance:** see website (www.abdoslifesciences.com)

Autoclaving Guideline for Plastics

All plastic consumable are Autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use dry cycle as this may cause deformation or weakening of plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.



Ph. No: +91- (0) 1332235277

Email:labtech@abdosindia.com

Technical Data Sheet

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness, pouch punctured etc.

Check all the information printed on pouches or boxes.


Always wear gloves while handling specimen.

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.







Abdos Labtech Private Limited

(A Divison of Abdos Group)

