Technical Data Sheet

Doc No - Ab/TDS/GLP-166

Rev No: 02 Date 02/2022-23

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Conical Flask - PP

Valid for Catalog No. P11620, P11621, P11622

1. Description/Specification

1.1 Description:

- 1.1.1 Moulded from high quality virgin Polypropylene to ensure excellent results.
- 1.1.2 These Conical Flasks are used for routine storage and pouring applications in the laboratory.
- 1.1.3 These Flasks have a screw cap designed with inner thread for superior sealing and better security.

1.2 Design:

Conical Flask

1.3.Performance Specifications:

Code	Capacity (ml)	No./Case
P11620	125	12
P11621	520	12
P11622	500	12

1.4 Material:

- 1.4.1 PP- Polypropylene (PP), confirm US FDA 21CFR
- 1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.
- 1.4.3 The product has passed the USP testing including class VI tests ,Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.
- 1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations1935/2004/CE ,2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water
- 1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color:

Translucent (Natural)

1.6 Graduations:



Abdos Labtech Private Limited

Technical Data Sheet

NA

1.7 Sterilization:

NA

1.8 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release amendments.

1.9 Other Information:

Reusable, can be autoclaved

- 2. Basic Features
- **2.1 Made up of** Polypropylene (PP)
- **2.1 Temperature range:** -80° C to $+121^{\circ}$ C
- 2.3 Autoclavability: Yes, Autoclavable at 15 psi and 121 °C for 20 minutes
- 2.4 Chemical resistance: See website (www.abdoslifesciences.com)
- 2.5 Manufactured in Aseptic Environment

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.



Ph. No: +91- (0) 1332235277

GST: 05AAGCA8605A1Z7

Email:labtech@abdosindia.com Web: www.abdoslifesiences.com

Technical Data Sheet









Abdos Labtech Pvt. Ltd.
Plot No. 3 Laberthweit Bragweiger Roorhee 247007 (UE) mids
Email - Notech Wabdon'ells com. www.abdos/fesciences.com





Quality Assurance Incharge Abdos Labtech Pvt. Ltd.







Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7