# **Technical Data Sheet**

Doc No- Ab/TDS/GLP-167 Rev No: 02 Date 01/2021

### TECHNICAL DATA SHEET

### Abdos Labtech Pvt. Ltd.

### **Funnel Holder, PP**

#### Valid for Catalog No. P70311, P70312

#### 1. Description/Specification

1.1 Description: Funnel Holder, PP

1.1.1 These are corrosion free & can hold funnels with diameter 3 inc to 6 inches.

1.1.2 Extra plate provided can be placed to hold funnels with diameter 1 to 3 inches.

1.1.3 Two tapered wedges are provided to have firm grip on rods.

#### 1.2 Design:

Funnel Holder, PP

**1.3 Performance Specifications:** 

Code	Places	No. per Case
P70311	Single	12
P70312	Double	6

### 1.4 Material:

1.4.1 Polypropylene (PP), Hydrophobic, confirm US FDA 21CFR

1.4.2 Complies with requirement accordance with article of regulation (EC) No. 1907/2006 and its amendments.

1.4.3 Complies with the requirement of European Pharmacopoeia, 7<sup>th</sup> edition (2011) & its supplements 7.5 (07/2012) monographs 3.2.2 Plastic Containers and closures for Pharmaceutical use.

1.4.4 The product has passed the USP testing including class VI tests & has been assigned the FDA Drug master file DMF 12123



Shiv Ganga Industrial Estate,Regd.Plot no.1 Lakeshwari, Bhagwanpur,13A, GRoorkee – 247667 Uttrakhand, IndiaKolkatAn ISO 9001,13485, 14001 & CE CertifiedA Division of AbdosGST :

Regd. Office: 13A, Government Place (East) Kolkata – 700069, India rtified GST : 05AAGCA8605A1Z7 P:+91 (0) 1332 235277
E: labtech@abdosindia.com
W: www.abdoslifesciences.com
CIN: U85100WB2008PTC123903

# **Technical Data Sheet**

1.4.5 Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.

1.4.6 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations1935/2004/CE ,2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water

1.4.7 Product is manufactured without the use of Raw Materials of animal origin. Therefore BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

## 1.5 Color:

White

# 1.6 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release amendments.

- **1.7 Basic Features**
- **1.7.1 Made up of** High pure virgin Polypropylene (PP)
- **1.7.2 Temperature range:**  $-80^{\circ}$ C to  $+121^{\circ}$ C
- 1.7.3 Autoclavability: Yes, Autoclavable at 15 psi and 121°C for 20 minutes
- 1.7.4 Chemical resistance: See website website (www.abdoslifesciences.com)
- 1.7.5 Manufactured in Aseptic Environment



Shiv Ganga Industrial Estate,Regd.Plot no.1 Lakeshwari, Bhagwanpur,13A, GRoorkee – 247667 Uttrakhand, IndiaKolkatAn ISO 9001,13485, 14001 & CE CertifiedA Division of AbdosGST :

Regd. Office: 13A, Government Place (East) Kolkata – 700069, India ertified GST : 05AAGCA8605A1Z7 P:+91 (0) 1332 235277
E: labtech@abdosindia.com
W: www.abdoslifesciences.com
CIN: U85100WB2008PTC123903

# **Technical Data Sheet**

#### **Autoclaving Guideline for Plastics**

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.





Shiv Ganga Industrial Estate,Regd.Plot no.1 Lakeshwari, Bhagwanpur,13A, GRoorkee – 247667 Uttrakhand, IndiaKolkatAn ISO 9001,13485, 14001 & CE CertifiedA Division of AbdosGST :

Regd. Office: 13A, Government Place (East) Kolkata – 700069, India ertified GST : 05AAGCA8605A1Z7 P:+91 (0) 1332 235277
E: labtech@abdosindia.com
W: www.abdoslifesciences.com
CIN: U85100WB2008PTC123903